

# **OpenFabrics Alliance**

### Interoperability Logo Group (OFILG)

May 2014 Logo Event Report

UNH-IOL – 121 Technology Drive, Suite 2 – Durham, NH 03824 – +1-603-862-0090 OpenFabrics Interoperability Logo Group (OFILG) – ofalab@iol.unh.edu

Jess CalcianoDate:15 July 2014Intel CorporationReport Revision:1.0780 5th Avenue Suite 140OFED Version on Compute Nodes:3.12King of Prussia, PA 19406-1437Operating System on Compute Nodes:Scientific Linux 6.5

Enclosed are the results from OFA Logo testing performed on the following device under test (DUT): Intel 12200-CH01

The test suite referenced in this report is available at the UNH-IOL website. Release 1.50 (2014-May-6) was used.

#### https://iol.unh.edu/ofatestplan

The following table highlights the Mandatory tests required for the OpenFabrics Interoperability Logo for the InfiniBand Switch device class per the Test Plan & the current OpenFabrics Interoperability Logo Program (OFILP).

Test Procedures	IWG Test Status	Result/Notes
11.1: Link Initialization	Mandatory	PASS
11.2: Fabric Initialization	Mandatory	PASS
11.3: IPoIB Connected Mode	Mandatory	PASS
11.4: IPoIB Datagram Mode	Mandatory	PASS
11.5: SM Failover and Handover	Mandatory	PASS
11.6: SRP	Mandatory	PASS
13.2: TI NFS over RDMA	Mandatory	PASS
13.4: TI uDAPL	Mandatory	PASS
13.5: TI RDMA Basic Interoperability	Mandatory	PASS
13.6: TI RDMA Stress	Mandatory	PASS
13.8: TI MPI – Open	Mandatory	PASS

Summary of all results follows on the second page of this report. For Specific details regarding issues, please see the corresponding test result.

Testing Completed 11 June 2014

Glenn A. Martin gmartin@iol.unh.edu

Review Completed 15 July 2014

Edward Mossman emossman@iol.unh.edu

#### OFA Logo Event Report – May 2014 DUT: Intel 12200-CH01 Switch

### **Result Summary**

The Following table summarizes all results from the event pertinent to this IB device class (InfiniBand Switch).

Test Procedures	IWG Test Status	Result/Notes
11.1: Link Initialization	Mandatory	PASS
11.2: Fabric Initialization	Mandatory	PASS
11.3: IPoIB Connected Mode	Mandatory	PASS
11.4: IPoIB Datagram Mode	Mandatory	PASS
11.5: SM Failover and Handover	Mandatory	PASS
11.6: SRP	Mandatory	PASS
11.7: IB Ethernet Gateway	Beta	Not Tested
11.8: IB FibreChannel Gateway	Beta	Not Tested
13.5: TI RDMA Basic Interoperability	Mandatory	PASS
13.6: TI RDMA Stress	Mandatory	PASS
13.2: TI NFS over RDMA	Mandatory	PASS
13.4: TI uDAPL	Mandatory	PASS
13.7: TI RSockets	Beta	PASS
13.8: TI MPI – Open	Mandatory	PASS

### **Digital Signature Information**

This document was signed using an Adobe Digital Signature. A digital signature helps to ensure the authenticity of the document, but only in this digital format. For information on how to verify this document's integrity proceed to the following site:

http://www.iol.unh.edu/certifyDoc/certificates and fingerprints.php

If the document status still indicated "Validity of author NOT confirmed", then please contact the UNH-IOL to confirm the document's authenticity. To further validate the certificate integrity, Adobe 9.0 should report the following fingerprint information:

MD5 Fingerprint: 41 1E 00 9F 79 4D 02 EF E6 95 65 57 A4 71 4F 9F SHA-1 Fingerprint: 44 51 9E 22 66 59 1A D3 A1 F9 0B EE BD 01 90 80 BE 61 A4 A8

**UNH-IOL** Report Revision: 1.0

## **Report Revision History**

v1.0 Initial working copy

# **Configuration Files**

Description	Attachment
Scientific Linux 6.5 Configuration File	
OFED 3.12 Configuration File	9


### **Result Key**

The following table contains possible results and their meanings:

Result:	Description:	
PASS	The Device Under Test (DUT) was observed to exhibit conformant behavior.	
PASS with	The DUT was observed to exhibit conformant behavior however an additional	
Comments	explanation of the situation is included.	
Qualified PASS	The DUT was observed to exhibit conformant behavior, with the exception of fault(s) or defect(s) which were previously known.	
FAIL	The DUT was observed to exhibit non-conformant behavior.	
Warning	The DUT was observed to exhibit behavior that is not recommended.	
Informative	Results are for informative purposes only and are not judged on a pass or fail basis.	
Refer to Comments	From the observations, a valid pass or fail could not be determined. An additional explanation of the situation is included.	
Not Applicable	The DUT does not support the technology required to perform this test.	
Not Available	Due to testing station limitations or time limitations, the tests could not be performed.	
Borderline	The observed values of the specific parameters are valid at one extreme and invalid at	
	the other.	
Not Tested	Not tested due to the time constraints of the test period.	

### **DUT and Test Setup Information**

Figure 1: The IB fabric configuration utilized for any tests requiring a multi-switch configuration is shown below.



DUT #1 Details			
Manufacturer:	Intel	Firmware Revision:	7.2.0.1.1
Model:	12200-CH01	Hardware Revision:	3
Speed:	QDR	Located in Host:	N/A
Firmware MD5sum:	deeb66e53beb0a9823f1a	9c141fd157c	
Additional Comments / Notes:			

## **Mandatory Tests - IB Device Test Results:**

### 11.1: Link Initialization

Results	
Part #1:	PASS
Discussion:	
All links established with the DUT were of the proper link speed and width.	

Link Partner		12200
Intel 12200 (Switch	n) – QDR	NA
Mellanox SX6025 (	Switch) – FDR	PASS
Mellanox SX6036 (	Switch) – FDR	PASS
Mellanox IS-5030 (	Switch) – QDR	PASS
Mellanox SX6036G	(Switch) – FDR	PASS
DataDirect Networ	ks SFA12000 (SRP Target) – FDR	PASS
DataDirect Networks SFA10000 (SRP Target) – QDR		PASS
DataDirect Networks SFA7700 (SRP Target) – FDR		PASS
NetApp Soyuz (SRP Target) – QDR		PASS
NetApp Pikes Peak	(SRP Target) – QDR	PASS
Host: hati	HCA: MCX354A-FCBT (FDR)	PASS
Host: phoebe	HCA: MCB194A-FCAT (FDR)	PASS
Host: pandora HCA: MCB192A-FCAT (FDR)		PASS
Host: atlas	HCA: QLE7342 (QDR)	PASS
Host: daphnis HCA: QLE7340 (QDR)		PASS

#### 11.2: Fabric Initialization

Subnet Manager	Result
OpenSM	PASS
Result Discussion:	
All subnet managers used while testing with OFED 3.12 were able to correctly configure the selected topology.	

#### 11.3: IPoIB Connected Mode

Subnet Manager	Part A	Part B	Part C
OpenSM	PASS	PASS	PASS
Result Discussion:			

IPOIB ping, SFTP, and SCP transactions completed successfully between all HCAs; each HCA acted as both a client and a server for all tests.

#### OFA Logo Event Report – May 2014 DUT: Intel 12200-CH01 Switch

#### 11.4: IPoIB Datagram Mode

Subnet Manager	Part A	Part B	Part C
OpenSM	PASS	PASS	PASS
Result Discussion:			

IPoIB ping, SFTP, and SCP transactions completed successfully between all HCAs; each HCA acted as both a client and a server for all tests.

#### 11.5: SM Failover and Handover

SM Pairings	Result
OpenSM	PASS
Result Discussion:	
OpenSM was able to properly handle SM priority and state rules.	

#### 11.6: SRP

Subnet Manager	Result
<b>OpenSM</b>	PASS
Result Discussion:	

SRP communications between all HCAs and all SRP targets succeeded while OpenSM was in control of the fabric.

#### 13.2: TI NFS over RDMA

Subnet Manager	Result
OpenSM	PASS
Desult Discussion.	

#### **Result Discussion:**

With the exception of the XXXX and YYYY HCAs, all other devices were able to complete the Connectathon test suite; each HCA acted as both a client and a server. XXXX and YYYY were unable to successfully complete the Connectathon test suite while running as the server.

#### 13.4: TI uDAPL

Result	Subnet Manager
PASS	<b>OpenSM</b>
	Result Discussion:
PASS	Result Discussion:

All communications using DAPL were seen to complete successfully as described in the referenced test plan; each HCA acted as both a client and a server for all tests.

#### OFA Logo Event Report – May 2014 DUT: Intel 12200-CH01 Switch

#### 13.5: TI RDMA Basic Interoperability

Subnet Manager	Result
<b>OpenSM</b>	PASS
Result Discussion:	

All devices were shown to correctly exchange core RDMA operations across a simple network path under nominal (unstressed) conditions; each HCA acted as both a client and a server for all tests.

#### 13.6: TI RDMA Stress

Subnet Manager	Result
OpenSM	PASS
Result Discussion:	

All IB switches were seen to properly handle a large load as indicated by the successful completion of control communications between two HCAs while all other HCAs in the fabric were used to generate traffic in order to put a high load on the switch. Each HCA acted as both a client and a server for the control connection.

#### 13.8: TI MPI - Open

Subnet Manager	Part A	Part B
OpenSM	PASS	PASS
Result Discussion:		
Complete heterogeneity; 1 process per system.		

### **Beta Tests - IB Device Test Results:**

#### 11.7: IB Ethernet Gateway

Subnet Manager	Result
OpenSM	Not Tested
Result Discussion:	
This test was not performed, as there are no devices that support the Ethernet Gateway test procedure	

This test was not performed, as there are no devices that support the Ethernet Gateway test procedure present in the event topology.

### 11.8: IB FibreChannel Gateway

Subnet Manager	Result
OpenSM	Not Tested
Result Discussion:	
This test was not performed, as there are no devices that support the FibreChannel Gateway test procedure present in the event topology.	

#### 13.7: TI RSockets

Subnet Manager	Result
OpenSM	PASS
Result Discussion:	
All HCAs were able to successfully perform all Asynchronous, Blocking, and Non-blocking procedures.	