


| [1] CONTACT INFORMATION                                                                                                                                                                                                                                     |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| SUPPLIER                                                                                                                                                                                                                                                    |                                   |                           | SUPPLIER SIGNATURE                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                     |
| SUPPLIER NAME                                                                                                                                                                                                                                               | Axis Communications               |                           | <br>Vangel Cukalevski (Dec 19, 2025 12:16:42 GMT+1)                                                                                                                                                                                                                                                                                                                                                        |                     |
| SUPPLIER CONTACT EMAIL                                                                                                                                                                                                                                      | Vangel.Cukalevski@axis.com        |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| ACCREDITED LABORATORY                                                                                                                                                                                                                                       |                                   |                           | ACCREDITED LABORATORY SIGNATURE                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| LABORATORY NAME                                                                                                                                                                                                                                             | UNH InterOperability Laboratory   |                           | <br>Michayla Newcombe (Dec 22, 2025 09:45:49 EST)                                                                                                                                                                                                                                                                                                                                                          |                     |
| LABORATORY CONTACT EMAIL                                                                                                                                                                                                                                    | usgv6-sdoc@iol.unh.edu            |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| [2] PRODUCT VERSION TESTED                                                                                                                                                                                                                                  |                                   |                           | [3] PRODUCT ID                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                     |
| 12.7                                                                                                                                                                                                                                                        |                                   |                           | Axis network devices                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |
| [4] PRODUCT FAMILY                                                                                                                                                                                                                                          |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| APPLICABLE SERIES HARDWARE                                                                                                                                                                                                                                  |                                   |                           | APPLICABLE SERIES SOFTWARE                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                     |
|                                                                                                                                                                                                                                                             |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| [5] UNITARY OR COMPOSITE SDOC                                                                                                                                                                                                                               |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| <input checked="" type="checkbox"/> <b>Unitary:</b> All of the declared capabilities of this product are addressed by original test results reported in this SDoC.                                                                                          |                                   |                           | <input type="checkbox"/> <b>Composite:</b> Some or all of the capabilities of this product are provided by the use and/or integration of unmodified components that have their own unique SDoCs. All of the relevant referenced SDoCs are identified in section 6 and linked.                                                                                                                                                                                                                |                     |
| [6] REF                                                                                                                                                                                                                                                     | SUPPLIER                          | PRODUCT ID/STACK ID       | CAPABILITY SUMMARY                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | COMPOSITE SDOC LINK |
| i.                                                                                                                                                                                                                                                          | Axis Communications               | Axis network devices/12.7 | USGv6-r1:Host+Core+SLAAC+Addr-Arch+Link=Ethernet                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     |
|                                                                                                                                                                                                                                                             |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
|                                                                                                                                                                                                                                                             |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
|                                                                                                                                                                                                                                                             |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
|                                                                                                                                                                                                                                                             |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| [7] USGV6-CAPABLE REQUIREMENTS                                                                                                                                                                                                                              |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| <input type="checkbox"/> USGv6-r1-Capable-Host <input type="checkbox"/> USGv6-r1-Capable-Router <input type="checkbox"/> USGv6-r1-Capable-Switch <input type="checkbox"/> USGv6-r1-Capable-NPP                                                              |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| [8] PROFILE(S) REFERENCED                                                                                                                                                                                                                                   |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| i.                                                                                                                                                                                                                                                          | NIST SP 500-267Br1, USGv6 Profile |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| ii.                                                                                                                                                                                                                                                         |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| [9] SUPPLEMENTARY ATTESTATIONS                                                                                                                                                                                                                              |                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                     |
| <input checked="" type="checkbox"/> This product is fully functional in dual stack environments. That is, no claimed capabilities are invalidated if this product is operated in a dual stack (IPv6 and IPv4) network environment.                          |                                   |                           | <input checked="" type="checkbox"/> This product is fully functional in IPv6 only environments. That is, no claimed capabilities are invalidated if this product is deployed in a network environment that does not support IPv4.                                                                                                                                                                                                                                                            |                     |
| <input checked="" type="checkbox"/> This SDoC contains a capabilities test report for each unique IPv6 stack in the product. If not, the stacks/ports not covered are documented, and how their IPv6 capabilities differ from those reported are explained. |                                   |                           | <input checked="" type="checkbox"/> All of the products listed in the product family in section 4 are implemented such that their capabilities are identical in form and function across the entire product family. The specific conformance and interoperability test results for the capabilities of an identified member of this product family are provided in this SDoC. The SDoC attests that these tested capabilities are identical and unmodified for all the products cited above. |                     |

## Host Capabilities

| [10] PRODUCT ID/ STACK ID       |                     |                                 |               | CAPABILITY SUMMARY              |               |       |
|---------------------------------|---------------------|---------------------------------|---------------|---------------------------------|---------------|-------|
|                                 |                     |                                 |               |                                 |               |       |
| [11]<br>SUPPORTED<br>CAPABILITY | CAPABILITY          | CONFORMANCE                     |               | INTEROPERABILITY/FUNCTIONAL     |               | NOTES |
|                                 |                     | TEST<br>SELECTION               | RESULT ID     | TEST<br>SELECTION               | RESULT ID     |       |
| -                               | IPv6-ONLY           |                                 |               | IPv6-<br>ONLY_R1v1.*_F          |               |       |
| PASS                            | Core                | Core_R1v1.*_C                   | UNH-IOL/40926 | Core_R1v1.*_I                   | UNH-IOL/40928 |       |
| -                               | Extended-ICMP       | Self-Test                       |               | Self-Test                       |               |       |
| -                               | PLPMTUD             | Self-Test                       |               | Self-Test                       |               |       |
| -                               | ND-Ext              | Self-Test                       |               | Self-Test                       |               |       |
| -                               | ND-WL               | Self-Test                       |               | Self-Test                       |               |       |
| -                               | SEND                | Self-Test                       |               | Self-Test                       |               |       |
| PASS                            | SLAAC               | SLAAC_R1v1.*_C                  | UNH-IOL/40926 | SLAAC_R1v1.*_I                  | UNH-IOL/40928 |       |
| -                               | PriAddr             | Self-Test                       |               | Self-Test                       |               |       |
| -                               | DHCP-<br>Stateless  | DHCP-<br>Stateless_R1v1<br>.*_C |               | DHCP-<br>Stateless_R1v1<br>.*_I |               |       |
| -                               | DHCP-Client         | DHCP-<br>Client_R1v1.*_C        |               | DHCP-<br>Client_R1v1.*_I        |               |       |
| -                               | DHCP-Client-<br>Ext | Self-Test                       |               | Self-Test                       |               |       |
| -                               | DHCP-Prefix         | DHCP-<br>Prefix_R1v1.*_C        |               | DHCP-<br>Prefix_R1v1.*_I        |               |       |
| -                               | DHCP-Prefix-<br>Ext | Self-Test                       |               | Self-Test                       |               |       |
| -                               | 6Lo                 | Self-Test                       |               | Self-Test                       |               |       |

## Host Capabilities

|      |                 |                        |               |                        |               |  |
|------|-----------------|------------------------|---------------|------------------------|---------------|--|
| -    | Happy-Eyeballs  | Self-Test              |               | Self-Test              |               |  |
| PASS | Addr-Arch       | Addr-Arch_R1v1.*_C     | UNH-IOL/40927 | Addr-Arch_R1v1.*_I     | UNH-IOL/40929 |  |
| -    | CGA             | Self-Test              |               | Self-Test              |               |  |
| -    | DNS-Client      | Self-Test              |               | Self-Test              |               |  |
| -    | URI             | Self-Test              |               | Self-Test              |               |  |
| -    | NTP-Client      | Self-Test              |               | Self-Test              |               |  |
| -    | NTP-Server      | Self-Test              |               | Self-Test              |               |  |
| -    | DNS-Server      | Self-Test              |               | Self-Test              |               |  |
| -    | DHCP-Server     | DHCP-Server_R1v1.*_C   |               | DHCP-Server_R1v1.*_I   |               |  |
| -    | DHCP-Server-Ext | Self-Test              |               | Self-Test              |               |  |
| -    | DHCP-Relay      | DHCP-Relay_R1v1.*_C    |               | DHCP-Relay_R1v1.*_I    |               |  |
| -    | IPsec           | IPsec_R1v1.*_C         |               | IPsec_R1v1.*_I         |               |  |
| -    | IPsec-SHA-512   | IPsec-SHA-512_R1v1.*_C |               | IPsec-SHA-512_R1v1.*_I |               |  |
| -    | SSHv2           | Self-Test              |               | Self-Test              |               |  |
| -    | TLS             | Self-Test              |               | Self-Test              |               |  |
| -    | TLS-1.3         | Self-Test              |               | Self-Test              |               |  |
| -    | Tunneling-IP    | Self-Test              |               | Self-Test              |               |  |

## Host Capabilities

|             |                        |                        |                  |                        |                  |  |
|-------------|------------------------|------------------------|------------------|------------------------|------------------|--|
| -           | <b>Tunneling-UDP</b>   | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>XLAT</b>            | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>NAT64</b>           | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>DNS64</b>           | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>SNMP</b>            | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>Tunneling</b>       | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>DiffServ</b>        | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>NETCONF</b>         | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>SSM</b>             | Self-Test              |                  | Self-Test              |                  |  |
| -           | <b>Multicast</b>       | Multicast_R1v1<br>.*_C |                  | Multicast_R1v1<br>.*_I |                  |  |
| -           | <b>ECN</b>             | Self-Test              |                  | Self-Test              |                  |  |
| <b>PASS</b> | <b>Link = Ethernet</b> | Self-Test              | Self Declaration | Self-Test              | Self Declaration |  |

## Router Capabilities

| [10] PRODUCT ID/ STACK ID       |                     |                          |           | CAPABILITY SUMMARY          |           |       |
|---------------------------------|---------------------|--------------------------|-----------|-----------------------------|-----------|-------|
|                                 |                     |                          |           |                             |           |       |
| [11]<br>SUPPORTED<br>CAPABILITY | CAPABILITY          | CONFORMANCE              |           | INTEROPERABILITY/FUNCTIONAL |           | NOTES |
|                                 |                     | TEST<br>SELECTION        | RESULT ID | TEST<br>SELECTION           | RESULT ID |       |
| -                               | IPv6-ONLY           |                          |           | IPv6-<br>ONLY_R1v1.*_F      |           |       |
| -                               | Core                | Core_R1v1.*_C            |           | Core_R1v1.*_I               |           |       |
| -                               | Extended-ICMP       | Self-Test                |           | Self-Test                   |           |       |
| -                               | PLPMTUD             | Self-Test                |           | Self-Test                   |           |       |
| -                               | ND-Ext              | Self-Test                |           | Self-Test                   |           |       |
| -                               | ND-WL               | Self-Test                |           | Self-Test                   |           |       |
| -                               | SEND                | Self-Test                |           | Self-Test                   |           |       |
| -                               | SLAAC               | SLAAC_R1v1.*_C           |           | SLAAC_R1v1.*_I              |           |       |
| -                               | PrivAddr            | Self-Test                |           | Self-Test                   |           |       |
| -                               | DHCP-Prefix         | DHCP-<br>Prefix_R1v1.*_C |           | DHCP-<br>Prefix_R1v1.*_I    |           |       |
| -                               | DHCP-Prefix-<br>Ext | Self-Test                |           | Self-Test                   |           |       |
| -                               | 6Lo                 | Self-Test                |           | Self-Test                   |           |       |
| -                               | Addr-Arch           | Addr-<br>Arch_R1v1.*_C   |           | Addr-<br>Arch_R1v1.*_I      |           |       |
| -                               | CGA                 | Self-Test                |           | Self-Test                   |           |       |

|   |                 |                      |  |                      |  |  |
|---|-----------------|----------------------|--|----------------------|--|--|
| - | DNS-Client      | Self-Test            |  | Self-Test            |  |  |
| - | URI             | Self-Test            |  | Self-Test            |  |  |
| - | NTP-Client      | Self-Test            |  | Self-Test            |  |  |
| - | NTP-Server      | Self-Test            |  | Self-Test            |  |  |
| - | DNS-Server      | Self-Test            |  | Self-Test            |  |  |
| - | DHCP-Server     | DHCP-Server_R1v1.*_C |  | DHCP-Server_R1v1.*_I |  |  |
| - | DHCP-Server-Ext | Self-Test            |  | Self-Test            |  |  |
| - | DHCP-Relay      | DHCP-Relay_R1v1.*_C  |  | DHCP-Relay_R1v1.*_I  |  |  |
| - | OSPF            | Self-Test            |  | OSPF_R1v1.*_I        |  |  |
| - | OSPF-IPsec      | Self-Test            |  | Self-Test            |  |  |
| - | OSPF-Auth       | Self-Test            |  | OSPF-Auth_R1v1.*_I   |  |  |
| - | OSPF-Ext        | Self-Test            |  | Self-Test            |  |  |
| - | OSPF-Trans      | Self-Test            |  | Self-Test            |  |  |
| - | OSPF-Graceful   | Self-Test            |  | Self-Test            |  |  |
| - | ISIS            | Self-Test            |  | Self-Test            |  |  |
| - | IS-IS-Auth      | Self-Test            |  | Self-Test            |  |  |
| - | IS-IS-Ext       | Self-Test            |  | Self-Test            |  |  |
| - | IS-IS-MT        | Self-Test            |  | Self-Test            |  |  |

|   |                          |                                   |  |                                   |  |  |
|---|--------------------------|-----------------------------------|--|-----------------------------------|--|--|
| - | <b>BGP</b>               | Self-Test                         |  | <b>BGP_R1v1.*_I</b>               |  |  |
| - | <b>BGP-Reflect</b>       | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-Graceful</b>      | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-FlowSpec</b>      | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-OV</b>            | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-VPLS</b>          | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-EVPN</b>          | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-6VPE</b>          | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>BGP-MVPN</b>          | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>MPLS</b>              | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>CE-Router</b>         | <b>CE_Router_R1v1.*_C</b>         |  | <b>CE_Router_R1v1.*_I</b>         |  |  |
| - | <b>VRRP</b>              | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>IPsec</b>             | <b>IPsec_R1v1.*_C</b>             |  | <b>IPsec_R1v1.*_I</b>             |  |  |
| - | <b>IPsec-VPN</b>         | <b>IPsec-VPN_R1v1.*_C</b>         |  | <b>IPsec-VPN_R1v1.*_I</b>         |  |  |
| - | <b>IPsec-SHA-512</b>     | <b>IPsec-SHA-512_R1v1.*_C</b>     |  | <b>IPsec-SHA-512_R1v1.*_I</b>     |  |  |
| - | <b>IPsec-SHA-512-VPN</b> | <b>IPsec-SHA-512-VPN_R1v1.*_C</b> |  | <b>IPsec-SHA-512-VPN_R1v1.*_I</b> |  |  |
| - | <b>SSHv2</b>             | Self-Test                         |  | Self-Test                         |  |  |
| - | <b>TLS</b>               | Self-Test                         |  | Self-Test                         |  |  |

|   |                      |           |  |           |  |  |
|---|----------------------|-----------|--|-----------|--|--|
| - | <b>TLS-1.3</b>       | Self-Test |  | Self-Test |  |  |
| - | <b>Tunneling-IP</b>  | Self-Test |  | Self-Test |  |  |
| - | <b>Tunneling-UDP</b> | Self-Test |  | Self-Test |  |  |
| - | <b>GRE</b>           | Self-Test |  | Self-Test |  |  |
| - | <b>DS-Lite</b>       | Self-Test |  | Self-Test |  |  |
| - | <b>LW4over6</b>      | Self-Test |  | Self-Test |  |  |
| - | <b>MAP-E</b>         | Self-Test |  | Self-Test |  |  |
| - | <b>MAP-T</b>         | Self-Test |  | Self-Test |  |  |
| - | <b>XLAT</b>          | Self-Test |  | Self-Test |  |  |
| - | <b>NAT64</b>         | Self-Test |  | Self-Test |  |  |
| - | <b>DNS64</b>         | Self-Test |  | Self-Test |  |  |
| - | <b>6PE</b>           | Self-Test |  | Self-Test |  |  |
| - | <b>LISP</b>          | Self-Test |  | Self-Test |  |  |
| - | <b>SNMP</b>          | Self-Test |  | Self-Test |  |  |
| - | <b>Tunneling</b>     | Self-Test |  | Self-Test |  |  |
| - | <b>DiffServ</b>      | Self-Test |  | Self-Test |  |  |
| - | <b>NETCONF</b>       | Self-Test |  | Self-Test |  |  |
| - | <b>SSM</b>           | Self-Test |  | Self-Test |  |  |

|   |              |                        |  |                        |  |  |
|---|--------------|------------------------|--|------------------------|--|--|
| - | PIM-SM       | Self-Test              |  | Self-Test              |  |  |
| - | PIM-SM-IPsec | Self-Test              |  | Self-Test              |  |  |
| - | PIM-SM-BiDir | Self-Test              |  | Self-Test              |  |  |
| - | Multicast    | Multicast_R1v1.<br>*_C |  | Multicast_R1v1.<br>*_I |  |  |
| - | ECN          | Self-Test              |  | Self-Test              |  |  |
| - | Link =       | Self-Test              |  | Self-Test              |  |  |

Application Capabilities

| [10] PRODUCT ID/ STACK ID       |            |                   |           |                             | CAPABILITY SUMMARY |       |
|---------------------------------|------------|-------------------|-----------|-----------------------------|--------------------|-------|
|                                 |            |                   |           |                             |                    |       |
| [11]<br>SUPPORTED<br>CAPABILITY | CAPABILITY | CONFORMANCE       |           | INTEROPERABILITY/FUNCTIONAL |                    | NOTES |
|                                 |            | TEST<br>SELECTION | RESULT ID | TEST<br>SELECTION           | RESULT ID          |       |
| -                               | IPv6-ONLY  |                   |           | IPv6-<br>ONLY_R1v1.*_F      |                    |       |
| -                               | App-Serv=  |                   |           | APP-<br>ONLY_R1v1.*_F       |                    |       |
| -                               | Link =     |                   |           | Self-Test                   |                    |       |

## NPP Capabilities

| [10] PRODUCT ID/ STACK ID       |            |                   |           | CAPABILITY SUMMARY          |           |       |
|---------------------------------|------------|-------------------|-----------|-----------------------------|-----------|-------|
|                                 |            |                   |           |                             |           |       |
| [11]<br>SUPPORTED<br>CAPABILITY | CAPABILITY | CONFORMANCE       |           | INTEROPERABILITY/FUNCTIONAL |           | NOTES |
|                                 |            | TEST<br>SELECTION | RESULT ID | TEST<br>SELECTION           | RESULT ID |       |
| -                               | IPv6-ONLY  |                   |           | IPv6-<br>ONLY_R1v1.*_F      |           |       |
| -                               | FW         | FW_R1v1.*_C       |           |                             |           |       |
| -                               | APFW       | Self-Test         |           |                             |           |       |
| -                               | IDS        | FW_R1v1.*_C       |           |                             |           |       |
| -                               | IPS        | FW_R1v1.*_C       |           |                             |           |       |
| -                               | Link =     | Self-Test         |           |                             |           |       |

Switch Capabilities

| [10] PRODUCT ID/ STACK ID       |              |                   |           |                             | CAPABILITY SUMMARY |       |
|---------------------------------|--------------|-------------------|-----------|-----------------------------|--------------------|-------|
|                                 |              |                   |           |                             |                    |       |
| [11]<br>SUPPORTED<br>CAPABILITY | CAPABILITY   | CONFORMANCE       |           | INTEROPERABILITY/FUNCTIONAL |                    | NOTES |
|                                 |              | TEST<br>SELECTION | RESULT ID | TEST SELECTION              | RESULT ID          |       |
| -                               | IPv6-ONLY    |                   |           | IPv6-<br>ONLY_R1v1.*_F      |                    |       |
| -                               | DHCPv6-Guard | Self-Test         |           | Self-Test                   |                    |       |
| -                               | RA-Guard     | Self-Test         |           | Self-Test                   |                    |       |
| -                               | MLD-Snooping | Self-Test         |           | Self-Test                   |                    |       |
| -                               | Link =       | Self-Test         |           | Self-Test                   |                    |       |

DIRECTIONS: Please use Adobe Acrobat to complete. Detailed instructions for completing and interpreting each numbered field are given below. Contact usgv6-program@nist.gov with questions.

|    |                            |                                                                                                                                                                                                                                       |
|----|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | CONTACT INFORMATION        | Supplier name, email and signature (digital recommended). Include printed name and date if wet ink signed.<br>Accredited laboratory name, email and signature (digital recommended). Include printed name and date if wet ink signed. |
| 2  | PRODUCT VERSION TESTED     | Firmware/ software version of product declared                                                                                                                                                                                        |
| 3  | PRODUCT ID                 | Suppliers concise name for product declared                                                                                                                                                                                           |
| 4  | PRODUCT FAMILY             | Applicable hardware or software with an unmodified IPv6 stack from "PRODUCT VERSION TESTED"                                                                                                                                           |
| 5  | UNITARY OR COMPOSITE       | Indicate if this is a unitary or composite SDoC. If composite is checked, composite SDoC must be linked in section 6.                                                                                                                 |
| 6  | REF                        | Reference number to profile(s) reference in this SDoC                                                                                                                                                                                 |
|    | SUPPLIER                   | Supplier name                                                                                                                                                                                                                         |
|    | PRODUCT ID/STACK ID        | Product ID must match field 3. As there may be more than one unique IPv6 stack, stack ID identifies particular stack described in CAPABILITY SUMMARY. Each unique stack requires a CAPABILITY SUMMARY.                                |
|    | CAPABILITY SUMMARY         | The strong notation as described in NIST-SP-500-267Ar1 that describes the product capabilities of the given stack.                                                                                                                    |
|    | COMPOSITE SDOC LINK        | URL link to composite SDoC referenced.                                                                                                                                                                                                |
| 7  | USGV6-CAPABLE REQUIREMENTS | Refer to section 5 in NIST-SP-500-267Br1 for CSS strings referenced in this section. Check the appropriate box if the product meets the requirements.                                                                                 |
| 8  | PROFILE(S) REFERENCED      | Profile(s) referenced in the SDoC.                                                                                                                                                                                                    |
| 9  | SUPPLEMENTARY ATTESTATIONS | Attestations made by the supplier. Check all that apply.                                                                                                                                                                              |
| 10 | PRODUCT ID/STACK ID        | PRODUCT ID/STACK ID for stack documented on given page.                                                                                                                                                                               |
|    | CAPABILITY SUMMARY         | CAPABILITY SUMMARY for stack documented on given page.                                                                                                                                                                                |
| 11 | SUPPORTED CAPABILITY       | "PASS" – All requirements of the capability have been met<br>"NOTES" – See notes for details regarding the level of support for this capability<br>"X" – Capability not supported<br>BLANK – No declaration for this capability       |
|    | CAPABILITY                 | IPv6 Capability as described in NIST-SP-500-267Ar1.                                                                                                                                                                                   |
|    | TEST SELECTION             | Test Selection Tables version of capabilities with existing test programs. Capabilities without an existing test program are indicated with "Self-Test"                                                                               |
|    | RESULT ID                  | Abbreviation of accredited laboratory and unique identifier of test result. Capabilities with "Self-Test" can be self-declared by writing " <i>Self Declaration</i> " in the cell.                                                    |
|    | NOTES                      | The cell must be filled out if "NOTE" is indicated for SUPPORTED CAPABILITY. Suppliers may use notes to clarify unsupported features or non-passing results.                                                                          |

#### SUPPLIER GENERAL NOTES