Supplie	ers Declaration of Conformity for				USGv6-v1 SDOC-v1.10 Page 1						
1	The Document Requiring Conf	ormity:			USGv6 Profile Version 1.0, July 2008. (NIST SP500-267)						
2	Product Identifier:			HP LaserJet Printers							
3 Supplier's Name, Address and SDOC Contact Details											
Hewlett-Packard, 11311 Chinden Blvd, MS135, Boise, ID, 83714											
Mike Tang, Project Manager, mike.tang@hp.com, 208-333-4902											
	1										
4)										
	V5025										
5	5 Product Family (other products using same IPv6 stack(s) to which these results are declared to apply). Check Product Family attestation below.										
						, M651, M680, M630, M552, M604, M605, M606, M555,					
						W556, M607, M608, M609, M652, M653, HP DesignJet T920					
Series,	HP DesignJet T1500 Series, HP	DesignJet T2500 Serie	es, HP DesignJet T3500	Series, HF	^{>} DesignJe ⁴	t T930 Series, HP DesignJet T1530 Series, HP DesignJet					
T2530	Series, HP PageWide XL 4000 Se	eries, HP PageWide X	L 4500 Series, HP Page	Wide XL 50	000 Series,	, HP PageWide XL 8000 Series, HP PageWide XL 4000 MFP					
Series,	HP PageWide XL 4500 MFP Series	ies, HP PageWide XL	5000 MFP Series, HP P	ageWide X	(L 5000 Blu	eprinter Series, HP PageWide XL 8000 Blueprinter Series					
6	USGv6 Capability summary. (I	For each distinct IPv6	stack in the product prov	vide a sumr	mary of its I	USGv6 capabilities below and include a detailed test result					
	summary). e.g. example-prod-id										
	U	JSGv6-v1-Host: IPv6-	Base+Addr-Arch+IPse	cv3+ESP+	IKEv2+SL/	AAC+Link = Ethernet					
7	Self Contained or Composite S	SDOC? (Must indicate	one).								
YES	All of the declared USGv6 capabilities of		Some or all of the USGv6 ca	pabilities of th	nis product are	e provided by the use and/or integration of umodified components that have					
	are addressed by orginal test results repo	orted in this				erenced SDOCs are identified in section 8 and attached. This product's					
	SDOC. page 2 will indicate which capabilities are provided by specific referenced components (product-id/stack-id).										
8	Additional Declarations / Attac	hments: (List supplie	r & product-id/stack-id fo	for referenced and attached test results in the case of composite products).							
	Component Supplier	Product I	D:	Stack ID:		Notes:					
[1]											
[2]											
[3]											
[4]											
	Supplementary Attestations (A	nswer all).									
	100	ifthis product is operated in		NO		ed if this product is deployed in a network environment that does not support					
		abilities test report for each	unique IDus stack in the	Yes	All of the products listed in the product family in section 5 are implemented such that						
	Yes product. If not, the stacks/p	capabilities are identical in form and function across the entire product									
	capabilities differ from those reported are explained.				family. The specific conformance and interoperability test results for the USGv6						
					capabilities of an identified member of this product family are provided in this SDOC.						
						attests that these tested USGv6 capabilitiesare identical and unmodified for icts cited above.					
10	Signature 76	1 -1 /		Date		1					
10	Induite MM	' N			5/1	19/2017					
	Print Name / Title Mike Tang	/ Project Manager									
See instr	ructions for fields 1-12 on Page 4.										

oduct Id		HP LaserJet Printers			Stack le	d.			V5025			
Product Id:		HP LaserJet Printers			-							
			Context /	Suppo	rted Capa	bilities		USGv6 Testing I	Program Results			
Spec /			Configuration				Test Suite	Test Lab / Result ID, Note #, or		Test Lab / Result ID, Note #,		
eference	Section	USGv6-v1 Profile Requirements	Option	Host	Router	NPD	Conformance/NPD	Component Ref	Test Suite Interoperability	Component Ref		
P500-267	6.1	IPv6 Basic Requirements										
		support of IPv6 base (IPv6;ICMPv6;PMTU;ND)	IPv6-Base	P			Basic_v1.*_C	UNH-IOL/8513	Basic_V1.*_I	UNH-IOL/8514		
		support of PMTU Discovery Protocol requirements	PMTU	Р			Basic_v1.*_C	UNH-IOL/8513	Basic_V1.*_I	UNH-IOL/8514		
		support of stateless address auto-configuration	SLAAC	P			SLAAC-V1.*_C	UNH-IOL/8511	SLAAC-V1.*_I	UNH-IOL/8516		
		support of Creation of Global Addresses	SLAAC - c(M)	Р			SLAAC-V1.*_C	UNH-IOL/8511	SLAAC-V1.*_I	UNH-IOL/8516		
		support of SLAAC privacy extensions.	PrivAddr				Self Test DHCP Client v1.* C		Self Test DHCP Client v1.* I			
		support of stateful (DHCP) address auto-configuration support of automated router prefix delegation	DHCP-Client DHCP-Prefix				Self Test		Self Test			
		support of automated router prefix delegation support of neighbor discovery security extensions	SEND				Self Test		Self Test			
500 007			SEND				Sell Test		Sell Test			
2500-267	6.6	Addressing Requirements										
		support of addressing architecture reqts	Addr-Arch	Р			Addr_Arch_v1.*_C	UNH-IOL/8512	Addr_Arch_v1.*_I	UNH-IOL/8517		
		support of cryptographically generated addresses	CGA				Self Test		Self Test			
2500-267	6.7	IP Security Requirements	10 0						15 0 1 + -			
		support of the IP security architecture	IPsecv3	P			IPsecv3_v1.*_C	UNH-IOL/8681	IPsecv3_v1.*_I	UNH-IOL/8684		
		support for automated key management	IKEv2	P			IKEv2_v1.*_C	UNH-IOL/8682	IKEv2_v2.*_I	UNH-IOL/8683		
		support for encapsulating security payloads in IP	ESP	P		L	ESPv3_v1.*_C	UNH-IOL/8680	ESP_v1.*_I	UNH-IOL/8685		
500-267	6.11	Application Requirements	DNO OF				0 11 7		0 " 7 1			
		support of DNS client/resolver functions	DNS-Client	I		L	Self Test		Self Test			
	L	support of Socket application program interfaces	SOCK				Self Test		Self Test	 		
		support of IPv6 uniform resource identifiers	URI				Self Test		Self Test			
		support of a DNS server application	DNS-Server				Self Test		Self Test			
		support of a DHCP server application	DHCP-Server				Self Test		DHCP_Serv_v1.*_I			
2500-267	6.2	Routing Protocol Requirements										
		support of the intra-domain (interior) routing protocols	IGW				Self Test		OSPFv3_v1.*_I			
		support for inter-domain (exterior) routing protocols	EGW				Self Test		BGP_v1.*_I			
2500-267	6.4	Transition Mechanism Requirements										
		support of interoperation with IPv4-only systems	IPv4				Self Test		Self Test			
		support of tunneling IPv6 over IPv4 MPLS services	6PE				Self Test		Self Test			
P500-267	6.8	Network Management Requirements							Self Test			
		support of network management services	SNMP				Self Test		Self Test			
P500-267	6.9	Multicast Requirements	Mcast				Self Test					
		support of basic multicast full support of multicast communications	SSM				Self Test		Self Test			
P500-267	6.10	Mobility Requirements	55IVI				Sell Test		Sell Test			
-200-207	0.10	support of mobile IP capability.	MIP				Self Test		Self Test			
		support of mobile network capabilities	NEMO				Self Test		Self Test			
P500-267	6.3	Quality of Service Requirements	INEIMO				Sell Test		Sell Test			
-300-207	0.3	support of Differentiated Services capabilities	DS				Self Test		Self Test			
2500 207	6.12		05				Sell Test		Sell Test			
P500-267	6.12	Network Protection Device Requirements										
		support of common NPD regts	NPD				N1 N2 N3 N4_v1.3					
		support of basic firewall capabilities	FW				N1_FW_v1.3					
	<u> </u>	support of application firewall capabilities	APFW				Self Test					
	<u> </u>	support of intrusion detection capabilities support of intrusion protection capabilities	IDS IPS				N3_IDS_v1.3 N4 IPS v1.3					
000 007	6.5		IPS				N4_IP5_V1.3					
P500-267	6.5	Link Specific Technologies	BOUIO				0.117		0 K T 1			
		support of robust packet compression services	ROHC	D			Self Test	Solf Declaration	Self Test	Solf Declaration		
		support of link technology [O:1]	Link- Ethernet	P			Self Test	Self Declaration	Self Test	Self Declaration		
		(repeat as needed) support of link technology	link=				l	+	+	<u> </u>		
_							•	1	1	L		
12		< Check HERE if this stack's DOC includes a	additional infor	mation a	about te	sted ca	pabilities and options	on an attached page 3 of notes	5.			
Level	L aval -4	support for USGv6-v1 Requirements for capability.				Color		tion of USCVE vd Becommended Le	val of Runnart for douter t	una lataak rala		
Level				Color	Indication of USGv6-v1 Recommended Level of Support for device type / stack role.							
		SDOC makes no declaration for this capability.			Indicates capability that is recommendend as mandatory (unconditional MUST) in the USGv6-v1 Profile.							
Р	Passed required tests of USGv6-V1 requirements for these capabilities.						Indicates cabability that is unusal for a given device type / stack role. Do not select without careful analysis.					
Ν		es page for details on the level of support of USGv6-v1 ree	equirements for this	capability	1.		Indicates capability that is left optional / ocnditional by the recommedations of the USGv6-v1 Profile.					
Х	USGv6	capability not supported in product.										
Fest Suite - Specific USGv6 Test suite used for test. See: http://www.antd.nist.gov/usgv6/test-specifications.html						Note # - reference to a detailed note about this capability or result on attached page						
t Suite - S	Specific L	3000 Test suite used for test. See. http://www.antu.hist.										

Suppliers	Suppliers Declaration of Conformity for USGv6 Products: Notes Page and Detailed Test Results Summary USGv6-v1 SDOC-v1.10 Page										
Field Product Id: Stack Id:											
13				Context /	Supported Capabilities				Notes about USG	v6-v1 Capabilities.	
Note #	Spec / Reference	Section	USGv6-v1 Profile Requirements	Configuration Option	Host	Router	NPD	Test Suite Conformance/NPD	Test Lab / Result ID, Note	Test Suite Interoperability	Test Lab / Result ID, Note
											,
1											
Discussion											
2											
Discussion	i:		[<u> </u>					
3											
Discussion											
Discussion											
4											
Discussion											
5											
Discussion	i:				1	r –			[
6											
Discussion											
7											
Discussion											
8											
				•				•			
Discussion											
9											
Discussion											
10				l							
Discussion		Diamatian	about this Product / Stack's capabilities:								
vendor s G	eneral Notes /	Discussion	about this Product / Stack's capabilities:								

Suppliers Declaration of Conformity for USGv6 Description and Instructions

General: This document describes network product from the identified supplier that claims support of USGv6 capabilities. General product and supplier identification is given on Page 1. Overall results of testing USGv6 capabilities for conformance, interoperability and network protection are given on Page 2. Detailed instructions for completing and interpreting each numbered field are given below. Note USGv6 Testing website at: http://www.antd.nist.gov/usgv6/testing.html. Contact: usgv6-project@antd.nist.gov.

Field	Description and Instructions	Field	Description and Instructions
1	The Document Requiring Conformity: Identifies the profile version implemented. Not a user completable field.	11	Summary of Results : The format of this table mirrors the USGv6-v1.0 capabilities checklist (USGv6 Profile, Appendix A). The 12 categories of USGv6 capabilities are listed as subheadings, with subsidiary functions as line items. Configuration options related to conditional implementation of selected capabilities.
2	Product Identifier: Supplier's concise name for the product declared.		Product Id/Stack Id : The identification line of this page includes space for Product Id and Stack Id labels. Product Id is the same as given on Page 1. As there may be more than one unique IPv6 stack implemented in the product, the Stack Id field identifies the particular stack described. One Results Summary page per stack is required.
3	Suppliers Name, Address and Contact Details: Company name and point of contact for SDOC questions, street address, phone and email.		Host, Router and Network Protection (NPD) columns identify 'preferred' options: cells in green represent the NIST recommendations. Cells in grey denote atypical options, very unlikely to be implemented. The procuring Agency may additionally tailor these fields to indicate requirements for this acquisition.
4	Product as Tested/Declared : Product Identifier and detailed version information. If this SDOC reports oringal test results (page 2), include information about the specific product configuration(s) that was actually tested (e.g., hardware configuration, operating system, etc).		Test Suite Conformance and Interoperability columns identify capability sets for which a public test suite exists, and the versions applicable to USGv6-v1.0 test results. Major version v1 and all its minor versions are deemed acceptable. Over time, new versions will be added and older ones retired. There may be periods when more than one major version is acceptable concurrently.
5	Product Family : A list of other products that use the same, unmodified IPv6 stacks such that their USGv6 capabilities are identical in form and function to the specific product configuration above. Test labs are only required to affirm the results for specific products tested. Test labs optionally may affirm recognized product families.		The supplier completes the adjacent Test Lab and Result Id column with the test lab acronym and unique result identifier (See Test Lab and Accreditor page on the Website). The buyer may opt to query results with the test laboratory using the specified Result Id(s). The supplier may opt to provide particular explanation of some results (partial results, additional options) in which case reference to note on an attached page 3. (e.g. "See Note# N"). See the USGv6 testing website to identify the test Iab, and find contact details.
6	USGv6 Capability Summary : The USGv6 stack implementation summary as identified by the '+' notation described in the USGv6 profile, Appendix A. For each IPv6 stack implementation in the product, a distinct Stack Id and reference to the attached Results Summary page (Page 2).		Cells marked Self Test have no associated public test suite. If implemented by the supplier, the required adjacent annotation is "Self Declaration". Note that vendors declaring support for such a capability are declaring support for the associated specific requirements in the USGv6 Profile.
7	Self Contained or Composite SDOC: If this SDOC relies on the test results of other disinct products, list the Supplier & Product ID/Stack IDs referenced and attach those original SDOCs to this one.	12	Additional Options Tested: Vendor checks if it is desired to record tested options not part of the 'Musts' in the profile. Explanations on the page following the results summary. Headings and Special Notations: as described.
8	Additional Declarations / Attachements: List the supplier / product ID / Stack ID of any test results of composite components referenced by this SDOC.		Options for Test Lab and Result Id: Currently 3 cases: (1) the test lab acronym and alphanumeric Id of the result set as assigned by the test laboratory; (2) 'Self declaration' denoting the supplier attests to adequate QA testing of the capability; (3) See attachment or note 'N', where the supplier explains variations in greater detail.
9	Supplementary Attestations: Suppliers disclosure of IPv6 only capabilities; multiple stacks present; product family applicabilities. These are not included to qualify or disqualify a product from purchase considerations, but to inform network administrators of potential configuration options relevant to USGv6 interoperability. Check all that apply.	13	Stack-1 Notes Instructions: The supplier may choose to use the Notes (page 3) in order to clarify unsupported features or non passing results. Each Note # must reference the same Note # from Page 2.
10	Signature Block: Wet ink signature of the responsible product manager, dated. Printed name and position title on the line below.		Complete the Note by including the Spec/Reference and Section (i.e. RFC or USGv6 Profile version), USGv6-v1 Profile Requirements, Config Option (i.e. IPv6-Base), choosing Host/Router/NPD, and Test Selection table version along with Test Lab Result ID. The Discussion includes details about the test result that will be disclosed to the buyer.