

1 The Document Requiring Conformity: **Unity**

2 Product Identifier: **Unity**

3 Supplier's Name, Address and SDOC Contact Details
 Suppliers Name: DelleMC
 Address:
 300 Innovation Way
 Nashua NH 03063

SDOC Contact Details:
 George Dilger II

4 Product as Tested/Declared: Product Identifier, version/revision information, details of configuration tested
4.2.0.9313057

5 Product Family (other products using same IPv6 stack(s) to which these results are declared to apply). Check Product Family attestation below.
 Unity 350, Unity 450, Unity 550, Unity 650

6 USGv6 Capability summary. (For each distinct IPv6 stack in the product provide a summary of its USGv6 capabilities below and include a detailed test result summary). e.g. example-prod-id/stack-1-USGv6-v1-Host: IPv6-Base+Addr-Arch+IPsec-v3+KEV2+SLAC+Link=Ethernet
 USGv6-v1-Host: IPv6-Base+Addr-Arch+SLAAC+DNS-Client+SOCK+URI+IPv4+SNMP+Mcast+APFW+Link = Ethernet

7 Self Contained or Composite SDOC? (Must indicate one).

Yes All of the declared USGv6 capabilities of this product are addressed by original test results reported in this SDOC. Some or all of the USGv6 capabilities of this product are provided by the use and/or integration of unmodified components that have their own unique USGv6 SDOCs. All of the relevant referenced SDOCs are identified in section 8 and attached. This product's page 2 will indicate which capabilities are provided by specific referenced components (product-id/stack-id)

8 Additional Declarations / Attachments: (List supplier & product-id/stack-id for referenced and attached test results in the case of composite products)

Component Supplier	Product ID:	Stack ID:	Notes:
[1]			
[2]			
[3]			
[4]			

9 Supplementary Attestations (Answer all).

Yes This product is fully functional in dual stack environments. That is, no claimed capabilities are invalidated if this product is operated in a dual stack (6 and 4)/network environment. This product is fully functional in IPv6 only environments. That is, no claimed capabilities are invalidated if this product is deployed in a network environment that does not support IPv4.

Yes This SDOC contains a capabilities test report for each unique IPv6 stack in the product. If not, the stacksports not covered are documented, and how their IPv6 capabilities differ from those reported are explained. All of the products listed in the product family in section 5 are implemented such that their USGv6 capabilities are identical in form and function across the entire product family. The specific conformance and interoperability test results for the USGv6 capabilities of an identified member of this product family are provided in this SDOC. The SDOC attests that these tested USGv6 capabilities are identical and unmodified for all the products cited above.

10 Signature **George H. Dilger II** Date **10-26-17**

Print Name / Title **George H. Dilger II**

Suppliers Declaration of Conformity for USGv6 Products: Declared Capabilities and Test Results Summary

Product Id:	Unity	Stack Id:	USGv6 Teating Program Results	4.2.0.9313057			
Spec / Reference	Section	Context / Option	Supported Capabilities	Test Suite	Test Lab / Result ID, Note #, or Component Ref	Test Suite	Test Lab / Result ID, Note #, or Component Ref
SP500-267	6.1	USGv6-v1 Profile Requirements	IPsecv3 IKEV2 ESP	IPsecv3 v1.* C IKEV2 v1.* C ESPv3 v1.* C	UNH-IOL/27110 UNH-IOL/27110 UNH-IOL/27111 UNH-IOL/27111	Basic V1.* J Basic V1.* J SLAAC-V1.* J SLAAC-V1.* J	UNH-IOL/27112 UNH-IOL/27112 UNH-IOL/27113 UNH-IOL/27113
SP500-267	6.2	Routing Protocol Requirements	IGW EGW	Self Test Self Test	OSPFv3 v1.* I BGP v1.* I	Self Test Self Test	Self Declaration Self Declaration
SP500-267	6.3	Quality of Service Requirements	DS	Self Test	Self Test	Self Test	Self Declaration
SP500-267	6.4	Transition Mechanism Requirements	IPV4 6PE	Self Test Self Test	Self Declaration Self Declaration	Self Test Self Test	Self Declaration Self Declaration
SP500-267	6.5	Network Management Requirements	SNMP	Self Test	Self Declaration	Self Test	Self Declaration
SP500-267	6.6	Multicast Requirements	Mcast SSM	Self Test Self Test	Self Test Self Test	Self Test Self Test	Self Declaration Self Declaration
SP500-267	6.7	Mobility Requirements	MIP NEMO	Self Test Self Test	Self Test Self Test	Self Test Self Test	Self Declaration Self Declaration
SP500-267	6.8	Network Protection Device Requirements	NPD FW APFW IDS IPS	N1N2N3N4 v1.3 N1 FW v1.3 Self Test N3 IDS v1.3 N4 IPS v1.3	Self Test Self Test Self Declaration Self Test Self Test	Self Test Self Test Self Declaration Self Test Self Test	Self Declaration Self Declaration Self Declaration Self Declaration Self Declaration
SP500-267	6.9	Link Specific Technologies	ROHC Link= Ethernet	Self Test Self Test	Self Test Self Declaration	Self Test Self Test	Self Declaration Self Declaration
12	<	Check HERE if this stack's DOC includes additional information about tested capabilities and options on an attached page 3 of notes.					
Level	Level of support for USGv6-v1 Requirements for capability.	Color	Indication of USGv6-v1 Recommended Level of Support for device type / stack role.				
P	Blank - SDOC makes no declaration for this capability.		Indicates capability that is recommended as mandatory (unconditional MUST) in the USGv6-v1 Profile.				
N	Passed required tests of USGv6-V1 requirements for these capabilities.		Indicates capability that is unusual for a given device type / stack role. Do not select without careful analysis.				
X	See notes page for details on the level of support of USGv6-v1 requirements for this capability.		Indicates capability that is left optional / conditional by the recommendations of the USGv6-v1 Profile.				
	USGv6 capability not supported in product.						

Test Suite - Specific USGv6 Test suite used for test. See: <http://www.nist.gov/usgv6/test-specifications.html>

Test Lab / Result ID - Abbreviation of accredited laboratory and its local identifier for this test result.

Note # - reference to a detailed note about this capability or result on attached page

Component Ref - Supplier / Product / Stack ID of distinctly tested component that provides this capability.

Field	Product Id:			Stack Id:				Notes about USGV6-v1 Capabilities.				
	13	Spec / Reference	Section	Context / Configuration Option	Supported Capabilities	Host	Router	NPD	Test Suite Conformance/NPD	Test Lab / Result ID Note	Test Suite Interoperability	Test Lab / Result ID Note
1			USGV6-v1 Profile Requirements									
Discussion:												
2												
Discussion:												
3												
Discussion:												
4												
Discussion:												
5												
Discussion:												
6												
Discussion:												
7												
Discussion:												
8												
Discussion:												
9												
Discussion:												
10												
Discussion:												

Vendor's General Notes / Discussion about this Product / Stack's capabilities:

General This document describes network product from the identified supplier that claims support of USGv6 capabilities. General product and supplier identification is given on Page 1. Overall results of testing USGv6 capabilities for conformance, interoperability and network protection are given on Page 2. Detailed instructions for completing and interpreting each numbered field are given below. Note USGv6 Testing website at: <http://www.nist.gov/usgv6/testing.html> Contact: usgv6-project@nist.gov.

Field	Description and Instructions
1	11
2	12
3	13
4	14
5	15
6	16
7	17
8	18
9	19
10	20

The Document Requiring Conformity: identifies the profile version implemented. Not a user completable field.

Summary of Results: The format of this table mirrors the USGv6-v1.0 capabilities checklist (USGv6 Profile, Appendix A). The 12 categories of USGv6 capabilities are listed as subheadings, with subsidiary functions as line items. Configuration options related to conditional implementation of selected capabilities.

Product Identifier: Supplier's concise name for the product declared.

Suppliers Name, Address and Contact Details: Company name and point of contact for SDOC questions, street address, phone and email.

Product Id/Stack Id: The identification line of this page includes space for Product Id and Stack Id labels. Product Id is the same as given on Page 1. As there may be more than one unique IPv6 stack implemented in the product, the Stack Id field identifies the particular stack described. One Results Summary page per stack is required.

Product as Tested/Declared: Product identifier and detailed version information. If this SDOC reports original test results (page 2), include information about the specific product configuration(s) that was actually tested (e.g., hardware configuration, operating system, etc).

Host Router and Network Protection (NPD) columns identify preferred options: cells in green represent the NIST recommendations. Cells in grey denote atypical options, very unlikely to be implemented. The procuring Agency may additionally tailor these fields to indicate requirements for this acquisition.

Product Family: A list of other products that use the same, unmodified IPv6 stacks such that their USGv6 capabilities are identical in form and function to the specific product configuration above. Test labs are only required to affirm the results for specific products tested. Test labs optionally may affirm recognized product families.

Test Suite Conformance and Interoperability columns identify capability sets for which a public test suite exists, and the versions applicable to USGv6-v1.0 test results. Major version v1 and all its minor versions are deemed acceptable. Over time, new versions will be added and older ones retired. There may be periods when more than one major version is acceptable concurrently.

USGv6 Capability Summary: The USGv6 stack implementation summary as identified by the '+' notation described in the USGv6 profile, Appendix A. For each IPv6 stack implementation in the product, a distinct Stack Id and reference to the attached Results Summary page (Page 2).

Cells marked Self Test have no associated public test suite. If implemented by the supplier, the required adjacent annotation is "Self Declaration". Note that vendors declaring support for such a capability are declaring support for the associated specific requirements in the USGv6 Profile.

Self Contained or Composite SDOC: If this SDOC relies on the test results of other distinct products, list the Supplier & Product ID/Stack IDs referenced and attach those original SDOCs to this one.

Additional Options Tested: Vendor checks if it is desired to record tested options not part of the 'Must' in the profile. Explanations on the page following the results summary.

Additional Declarations / Attachments: List the supplier / product ID / Stack ID of any test results of composite components referenced by this SDOC.

Options for Test Lab and Result Id: Currently 3 cases: (1) the test lab acronym and alphanumeric id of the result set as assigned by the test laboratory, (2) 'Self declaration' denoting the supplier attests to adequate QA testing of the capability, (3) See attachment or note 'N', where the supplier explains variations in greater detail.

Supplementary Attestations: Suppliers disclosure of IPv6 only capabilities; multiple stacks present; product family applicabilities. These are not included to qualify or disqualify a product from purchase considerations, but to inform network administrators of potential configuration options relevant to USGv6 interoperability. Check all that apply.

Stack-1 Notes Instructions: The supplier may choose to use the Notes (page 3) in order to clarify unsupported features or non passing results. Each Note # must reference the same Note # from Page 2.

Signature Block: Wet ink signature of the responsible product manager, dated. Printed name and position title on the line below.

Complete the Note by including the Spec/Reference and Section (i.e. RFC or USGv6 Profile version), USGv6-v1 Profile Requirements, Config Option (i.e. IPv6-Base), choosing Host/Router/NPD, and Test Selection table version along with Test Lab Result ID. The Discussion includes details about the test result that will be disclosed to the buyer.