

1	The Document Requiring Conformity:			USGv6 Profile Version 1.0, July 2008. (NIST SP500-267)	
2	Product Identifier:	VMware vSphere for Enterprise			
3	Supplier's Name, Address and SDOC Contact Details				
VMware, Inc 3401 Hillview Ave Palo Alto, CA, 94304					
4	Product as Tested/Declared: Product Identifier, version/revision information, details of configuration tested.				
5.0					
5	Product Family (other products using same IPv6 stack(s) to which these results are declared to apply). Check Product Family attestation below.				
6	USGv6 Capability summary. (For each distinct IPv6 stack in the product provide a summary of its USGv6 capabilities below and include a detailed test result summary). e.g. example-prod-id/stack-1: USGv6-v1-Host: IPv6-Base+Addr-Arch+IPsec-v3+IKEv2+SLAC+Link-Ethernet.				
USGv6-v1-Host: IPv6-Base+Addr-Arch+SLAAC+IPsec-v3+ESP+Link = Ethernet					
7	Self Contained or Composite SDOC? (Must indicate one).				
YES	All of the declared USGv6 capabilities of this product are addressed by original test results reported in this SDOC.	N/A	Some or all of the USGv6 capabilities of this product are provided by the use and/or integration of unmodified components that have their own unique USGv6 SDOCs. All of the relevant referenced SDOCs are identified in section 8 and attached. This product's page 2 will indicate which capabilities are provided by specific referenced components (product-id/stack-id).		
8	Additional Declarations / Attachments: (List supplier & product-id/stack-id for referenced and attached test results in the case of composite products).				
	Component Supplier	Product ID:	Stack ID:	Notes:	
[1]					
[2]					
[3]					
[4]					
9	Supplementary Attestations (Answer all).				
	YES	This product is fully functional in dual stack environments. That is, no claimed capabilities are invalidated if this product is operated in a dual stack (6 and 4) network environment.	YES	This product is fully functional in IPv6 only environments. That is, no claimed capabilities are invalidated if this product is deployed in a network environment that does not support IPv4.	
	N/A	This SDOC contains a capabilities test report for each unique IPv6 stack in the product. If not, the stacks/ports not covered are documented, and how their IPv6 capabilities differ from those reported are explained.	N/A	All of the products listed in the product family in section 5 are implemented such that their USGv6 capabilities are identical in form and function across the entire product family. The specific conformance and interoperability test results for the USGv6 capabilities of an identified member of this product family are provided in this SDOC. The SDOC attests that these tested USGv6 capabilities are identical and unmodified for all the products cited above.	
10	Signature	Stanley Ho 	Date	13-Jun-17	
	Print Name / Title	Stanley Ho / Staff Engineer			

Product Id:		VMware vSphere for Enterprise			Stack Id:			5.0			
Spec / Reference	Section	USGv6-v1 Profile Requirements		Context / Configuration Option	Host	Router	NPD	Test Suite Conformance/NPD	USGv6 Testing Program Results		
		USGv6-v1 Profile Requirements	USGv6-v1 Profile Requirements						Test Lab / Result ID, Note #, or Component Ref	Test Suite Interoperability	Test Lab / Result ID, Note #, or Component Ref
SP500-267	6.1	IPv6 Basic Requirements		IPv6-Base	P			Basic_v1.*_C	UNH-IOL/7615	Basic_V1.*_I	UNH-IOL/7623
		support of IPv6 base (IPv6;ICMPv6;PMTU;ND)									
		support of PMTU Discovery Protocol requirements		PMTU	P			Basic_v1.*_C	UNH-IOL/7615	Basic_V1.*_I	UNH-IOL/7623
		support of stateless address auto-configuration		SLAAC	P			SLAAC-V1.*_C	UNH-IOL/7625	SLAAC-V1.*_I	UNH-IOL/7624
		support of Creation of Global Addresses		SLAAC - c(M)	P			SLAAC-V1.*_C	UNH-IOL/7625	SLAAC-V1.*_I	UNH-IOL/7624
		support of SLAAC privacy extensions.		PrivAddr				Self Test		Self Test	
		support of stateful (DHCP) address auto-		DHCP-Client				DHCP_Client_v1.*_C		DHCP_Client_v1.*_I	UNH-IOL/7628
		support of automated router prefix delegation		DHCP-Prefix				Self Test		Self Test	
		support of neighbor discovery security extensions		SEND				Self Test		Self Test	
SP500-267	6.6	Addressing Requirements									
		support of addressing architecture reqts		Addr-Arch	P			Addr_Arch_v1.*_C	UNH-IOL/7626	Addr_Arch_v1.*_I	UNH-IOL/7627
		support of cryptographically generated addresses		CGA				Self Test		Self Test	
SP500-267	6.7	IP Security Requirements									
		support of the IP security architecture		IPsecv3	P			IPsecv3_v1.*_C	UNH-IOL/7629	IPsecv3_v1.*_I	UNH-IOL/7630
		support for automated key management		IKEv2				IKEv2_v1.*_C		IKEv2_v2.*_I	
SP500-267	6.11	Application Requirements		ESP	P			ESPv3_v1.*_C	UNH-IOL/7631	ESP_v1.*_I	UNH-IOL/7632
		support of DNS client/resolver functions		DNS-Client				Self Test		Self Test	
		support of Socket application program interfaces		SOCK				Self Test		Self Test	
		support of IPv6 uniform resource identifiers		URI				Self Test		Self Test	
		support of a DNS server application		DNS-Server				Self Test		Self Test	
SP500-267	6.2	Routing Protocol Requirements		DHCP-Server				Self Test		DHCP_Serv_v1.*_I	
		support of the intra-domain (interior) routing		IGW				Self Test		OSPFv3_v1.*_I	
		support for inter-domain (exterior) routing protocols		EGW				Self Test		BGP_v1.*_I	
SP500-267	6.4	Transition Mechanism Requirements									
		support of interoperation with IPv4-only systems		IPv4				Self Test		Self Test	
		support of tunneling IPv6 over IPv4 MPLS services		6PE				Self Test		Self Test	
SP500-267	6.8	Network Management Requirements									
		support of network management services		SNMP				Self Test		Self Test	
SP500-267	6.9	Multicast Requirements									
		support of basic multicast		Mcast				Self Test		Self Test	
		full support of multicast communications		SSM				Self Test		Self Test	
SP500-267	6.10	Mobility Requirements									
		support of mobile IP capability		MIP				Self Test		Self Test	
		support of mobile network capabilities		NEMO				Self Test		Self Test	
SP500-267	6.3	Quality of Service Requirements									
		support of Differentiated Services capabilities		DS				Self Test		Self Test	
SP500-267	6.12	Network Protection Device Requirements									
		support of common NPD reqts		NPD				N1 N2 N3 N4_v1.3			
		support of basic firewall capabilities		FW				N1_FW_v1.3			
		support of application firewall capabilities		APFW				Self Test			
		support of intrusion detection capabilities		IDS				N3_IDS_v1.3			
SP500-267	6.5	Link Specific Technologies		support of intrusion protection capabilities				N4_IPS_v1.3			
		support of robust packet compression services		ROHC				Self Test		Self Test	
		support of link technology (O:1)	Link= Ethernet	P				Self Test	Self Declaration	Self Test	Self Declaration
		(repeat as needed) support of link technology	Link=								

12 < Check HERE if this stack's DOC includes additional information about tested capabilities and options on an attached page 3 of notes.

Level	Level of support for USGv6-v1 Requirements for capability.	Color	Indication of USGv6-v1 Recommended Level of Support for device type / stack role.
	Blank - SDOC makes no declaration for this capability.		Indicates capability that is recommended as mandatory (unconditional MUST) in the USGv6-v1 Profile.
P	Passed required tests of USGv6-V1 requirements for these capabilities.		Indicates capability that is unusual for a given device type / stack role. Do not select without careful analysis.
N	See notes page for details on the level of support of USGv6-v1 requirements for this capability.		Indicates capability that is left optional / ocnditional by the recommendations of the USGv6-v1 Profile.
X	USGv6 capability not supported in product.		

