



OpenFabrics Alliance

Interoperability Logo Group (OFILG)

January 2014 Logo Event Report

UNH-IOL – 121 Technology Drive, Suite 2 – Durham, NH 03824 – +1-603-862-0090
OpenFabrics Interoperability Logo Group (OFILG) – ofalab@iol.unh.edu

Abdel Sadek
NetApp
3718 N. Rock Road
Wichita, KS 67226

Date: 28 February 2014
Report Revision: 1.2
OFED Version on Compute Nodes: 3.5-2
Operating System on Compute Nodes: SL 6.4

Enclosed are the results from OFA Logo testing performed on the following devices under test (DUTs):
NetApp E5400 *NetApp E5500*

The test suite referenced in this report is available at the IOL website. Release 1.49 (2013-Nov-5) was used.

<http://iol.unh.edu/ofatestplan>


The following table highlights the mandatory test results required for the OpenFabrics Interoperability Logo for the SRP Target over Infiniband device class per the Test Plan referenced above and the current OpenFabrics Interoperability Logo Program (OFILP).

Test Procedures	IWG Test Status	Result/Notes
11.1: Link Initialization	Mandatory	PASS
11.2: Fabric Initialization	Mandatory	PASS
11.5: SM Failover and Handover	Mandatory	PASS
11.6: SRP	Mandatory	PASS

Summary of all results follows on the second page of this report.
For Specific details regarding issues, please see the corresponding test result.

Testing Completed 17 Jan 2014

Glenn A. Martin
gmartin@iol.unh.edu



Review Completed 28 Feb 2014

Edward Mossman
emossman@iol.unh.edu

Result Summary

The following table summarizes all results from the event pertinent to this IB device class (SRP Target over Infiniband).

Test Procedures	IWG Test Status	Result/Notes
11.1: Link Initialization	Mandatory	PASS
11.2: Fabric Initialization	Mandatory	PASS
11.5: SM Failover and Handover	Mandatory	PASS
11.6: SRP	Mandatory	PASS

Digital Signature Information

This document was signed using an Adobe Digital Signature. A digital signature helps to ensure the authenticity of the document, but only in this digital format. For information on how to verify this document's integrity proceed to the following site:

http://www.iol.unh.edu/certifyDoc/certificates_and_fingerprints.php



If the document status still indicated "Validity of author NOT confirmed", then please contact the UNH-IOL to confirm the document's authenticity. To further validate the certificate integrity, Adobe 9.0 should report the following fingerprint information:

MD5 Fingerprint: 41 1E 00 9F 79 4D 02 EF E6 95 65 57 A4 71 4F 9F
SHA-1 Fingerprint: 44 51 9E 22 66 59 1A D3 A1 F9 0B EE BD 01 90 80 BE 61 A4 A8

Report Revision History

- v1.0 Initial working copy
- v1.1 Modified test 11.6 to more accurately reflect the behavior of the DUTs
- v1.2 Updated DUT model numbers

Configuration Files

Description	Attachment
Scientific Linux 6.4 Configuration File	
OFED 3.5-2 Configuration File	

Result Key

The following table contains possible results and their meanings:

Result:	Description:
PASS	The Device Under Test (DUT) was observed to exhibit conformant behavior.
PASS with Comments	The DUT was observed to exhibit conformant behavior however an additional explanation of the situation is included.
Qualified PASS	The DUT was observed to exhibit conformant behavior, with the exception of fault(s) or defect(s) which were previously known.
FAIL	The DUT was observed to exhibit non-conformant behavior.
Warning	The DUT was observed to exhibit behavior that is not recommended.
Informative	Results are for informative purposes only and are not judged on a pass or fail basis.
Refer to Comments	From the observations, a valid pass or fail could not be determined. An additional explanation of the situation is included.
Not Applicable	The DUT does not support the technology required to perform this test.
Not Available	Due to testing station limitations or time limitations, the tests could not be performed.
Borderline	The observed values of the specific parameters are valid at one extreme and invalid at the other.
Not Tested	Not tested due to the time constraints of the test period.


DUT and Test Setup Information

Figure 1: The IB fabric configuration utilized for any tests requiring a multi-switch configuration is shown below.

January 2014
 InfiniBand Topology

Ethernet Addressing
 <hostname>.ofa

IPoIB Addressing
 <hostname>-ib.ofa



DUT #1 Details			
Manufacturer:	NetApp	Firmware Revision:	07.86
Model:	E5400	Hardware Revision:	1.0
Speed:	QDR	Located in Host:	NA
Firmware MD5sum:	8e6f2ebdc5f0d0ba90c474e0d4ba0552		
Additional Comments / Notes:			

DUT #1 Details			
Manufacturer:	NetApp	Firmware Revision:	07.86
Model:	E5500	Hardware Revision:	1.0
Speed:	QDR	Located in Host:	NA
Firmware MD5sum:	696caf8be638d546bbe52a8a988487dd		
Additional Comments / Notes:			

Mandatory Tests – IB Device Test Results:

11.1: Link Initialization

Results	
Part #1:	PASS
Discussion:	
All links established with the DUT were of the proper link speed and width.	

Link Partner	Pikes Peak	Soyuz
QLogic 12200 (Switch) – QDR	PASS	PASS
Mellanox SX6025 (Switch) – FDR	PASS	PASS
Mellanox SX6036 (Switch) – FDR	PASS	PASS
Mellanox IS-5030 (Switch) – QDR	PASS	PASS
DataDirect Networks SFA12000 (SRP Target) – FDR	NA	NA
DataDirect Networks SFA10000 (SRP Target) – QDR	NA	NA
DataDirect Networks SFA7700 (SRP Target) – FDR	NA	NA
NetApp E5500 (SRP Target) – QDR	NA	NA
NetApp E5400 (SRP Target) – QDR	NA	NA
Mellanox BX5020 (Gateway) – QDR	PASS	PASS
Host: themis	HCA: MHQH29C-XTR (QDR)	PASS
Host: pan	HCA: MHQH19B-XTR (QDR)	PASS
Host: skathi	HCA: MHQH29B-XTR (QDR)	PASS
Host: titan	HCA: MCX354A-FCBT (FDR)	PASS
Host: hati	HCA: MCX353A-FCBT (FDR)	PASS
Host: atlas	HCA: QLE7342 (QDR)	PASS
Host: daphnis	HCA: QLE7340 (QDR)	PASS

11.2: Fabric Initialization

Subnet Manager	Result
OpenSM	PASS
Result Discussion:	
All subnet managers used while testing with OFED 3.5-2 were able to correctly configure the selected topology.	

11.5: SM Failover and Handover

SM Pairings	Result
OpenSM	PASS
Result Discussion:	
OpenSM was able to properly handle SM priority and state rules.	

11.6: SRP

Subnet Manager	Result
OpenSM	PASS
Result Discussion:	
Core and extended SRP communications between all HCAs and all SRP targets succeeded while OpenSM was in control of the fabric.	